



# ceylan mineral



## ABOUT US

# PREMIUM SUSTAINABLE MINING

**Ceylan Group started its operations in 1960 in the mining, logistics and agriculture industry. Today, the Group's line of business has expanded to automotive, construction, insurance and fast-moving consumer goods distribution.**

**We also have partnerships with various global companies like Alfa Romeo, Jeep, Fiat, Kia, New Holland and British American Tobacco that add extra strength to our ever-developing corporate structure.**

As Ceylan Mineral Mining Company we manage all the processes of exploration, extraction, processing of our mines from beginning to end.

Our Gypsum Mine which is in preparatory stage for extraction and our coal mines extending over an area of 1.850 hectares are located in Çankırı province, whereas our marble mine extending over an area of 400 hectares is located within the borders of Ankara province.

While we continue exploration of gypsum, marble and coal at our licensed sites, our flagship mineral Sodium Bentonite is extracted from our 4.000 hectare mines and processed at our own factory equipped with high technology.



**Built on 50.000 m<sup>2</sup> parcel with a closed area of 7.000 m<sup>2</sup> in Çankırı Yakınkent Organized Industrial Zone, located at a distance of about 75 Km from Ankara, our factory processes sodium bentonites which we offer to consumers as a finished product and to industries as an intermediate product.**

**To increase our annual processing capacity of currently 70.000 tonnes, we have launched new investments in the region for the construction of additional factory spaces that will increase our current plant area to 10.000 m<sup>2</sup>.**

**In addition to our Sodium Bentonite Toi Moi brand cat litter, we can also produce private label products with desired specifications and provide intermediate and finished products in Big Bags.**



## MINING MANAGEMENT

We extract our sodium bentonite minerals using open-pit mining methods from our licensed mines. The raw ores then are directly delivered to our processing plant. Our sodium bentonite mines, which are the building blocks of our portfolio, have a total reserve of 5.000.000 tonnes spread over our 4 licensed sites totaling to 4.000 hectares in Çankırı province. The high-quality bentonites extracted and processed by our company, albeit rare in the region, have been tested and proven for use in casting, drilling, cosmetics industries, and particularly cat litter.



## PROCESSING AND ACTIVATION

In our high-tech factory we crush, dry, grind, size and activate the sodium bentonite to enhance its performance. Our inhouse R&D department ensures the development of the best products for the required specifications and maintains quality through conducting tests and analysis relentlessly.



## PACKAGING AND SHIPPING

In order to further reduce dust, activated and processed products are transported to our packaging and storage site on conveyor belts. Our products can be packed in different sizes. For finished cat litter products we have the capability to fill between 4-20 Kg or L packs. We also have big bags available for both intermediate and finished products in 500 Kg, 1.000 Kg and 1.200 Kg's.

Our products can be delivered EXW or to the desired location.

# SUSTAINABILITY STRATEGIES

**As Ceylan Mineral, we place sustainability at the center of our activities in order to minimize our impact on the environment and ensure long-term viability in all stages of our mining and processing activities. We adopt ESG (Environment, Social, Governance) as an effective corporate governance model to make a positive impact on nature and our social environment.**

## ENVIRONMENT

We are aware of the environmental problems such as global warming, climate change and declining biodiversity, and we are working toward fulfilling our responsibilities in producing sustainable solutions with a proper understanding of the root causes of these problems. ISO 14001 Environmental Management System, for which we are certified, is among the corporate policies that we pursue to ensure environmental compliance, be sustainable and perform better in environmental issues.

We carry out our mining activities with a sensitive approach to waste management, water management, sustainable energy use and efficient use of resources while protecting our environment for the well-being of future generations.



## **SOCIAL**

To protect the physical, mental and emotional health of our social environment, we act in harmony with the expectations and needs of our employees, suppliers, customers, consumers and all stakeholders affected by our business.

Regarding the social dimension of sustainability, we adopt an approach that respects human rights, prioritizes occupational health and safety, and contributes to the local economy of all regions where we operate.

## **GOVERNANCE**

As Ceylan Mineral Mining, we set a premium on obtaining all necessary permits and licenses by fulfilling our legal obligations to the fullest in all our activities.

We place business ethics at the core of all decisions we make, put them into action in a way that protects the interests of the company and its stakeholders equally, and we adopt a sustainable governance model without any compromise on transparency, reporting, auditing and compliance with applicable laws and regulations.



## OUR PRODUCTS

### PRIVATE LABEL

We can manufacture Sodium Bentonite cat litter products with the required specifications and packaging sizes under your patented brand name. The packages can be both provided through our contractors or supplied by you.

After written confirmation of the product requirements a detailed business plan is prepared and with your approval we move to the production stage. Our production unit organizes all required machinery, material and labour resources to meet your demand on time in full.

Required tests and analysis are done throughout the production process to ensure sustainable quality at every pack that your Brand Name is on.

**If you want to explore what Ceylan Mineral Mining can offer as a manufacturing partner and receive samples we would be delighted to hear from you:**

✉ [info@ceylanmineral.com](mailto:info@ceylanmineral.com)




## INTERMEDIATE SODIUM BENTONITE

Our intermediate sodium bentonites are made ready for shipping after crushing, grinding and sizing to ensure homogeneous particle size and shape. The processing steps required for intermediate sodium bentonite production are structured according to the intended use and application, in line with the desired properties and performance criteria for the final product. We use moisture-proof and durable 500 Kg and 1.000 Kg big bags for shipping. You can contact us for your intermediate sodium bentonite orders.

## FINISHED SODIUM BENTONITE

Our finished sodium bentonites are made ready for shipping after initial enrichment, drying and blending with other minerals using fully automated high-tech systems in all steps of mineral processing. In this way, we ensure sustainable quality in all products at the same level. Thanks to our R&D laboratory, we can produce our products in accordance with the various standards and requirements of different countries and we are fully equipped to be your business partner and cooperate with businesses from all over the world with our high-quality products and comprehensive after-sales services. You can contact us for your finished product orders.





## CAT LITTER

Our cat litter Toi Moi, which we produce from the sodium bentonites extracted from our own mine sites and processed in our own factory, is at the service of our furry friends. Toi Moi is a nature-friendly product free of chemicals that is available with Active carbon, Unscented, Lavender scented, Marseille soap scented and Baby Powder scented varieties, characterized by outstanding properties like fast and strong clumping, dust-freeness, odour elimination, non-stick, and fast liquid absorption.

Learn more:

[toimoi.com.tr](http://toimoi.com.tr)

See all Toi Moi products:

[toimoistore.com](http://toimoistore.com)



## SPECIFICATIONS

- **99,8% Dust-Free**
- **Strong Clumping**
- **Fast Liquid Absorption**
- **Easy to Clean**
- **Odour Elimination**
- **Long Lasting Usage**



**ACTIVATED CARBON**



**UNSCENTED**



**MARSEILLE SOAP**



**BABY POWDER**



**LAVENDER**





# MY CAT LITTER IS SODIUM BENTONITE!

IT IS ALL NATURAL!

DOES NOT DUST AND STICK TO MY PAWS!

CLUMPS QUICKLY!

KEEPS MY TRAY CLEAN AND DRY



PREMIUM  
SUSTAINABLE  
MINING



**ACTIVATED CARBON**



**BABY POWDER**



**UNSCENTED**



**MARSEILLE SOAP**

# ANALYSIS

## CAT LITTER ANALYSIS

- Moisture Content %
- pH
- Fluid Absorption
- Cation Exchange Coefficient
- Density
- Clumping Quality
- Sieve Analysis (% Dust-Free)

## BULK COMPOSITION ANALYSIS

- Wet Strength
- Dry Strength
- Swelling Index
- Gelation Coefficient
- Liquid Limit Value
- Loss of Heating
- Sintering
- Calcium Oxide Content
- Gas Permeability
- XRD
- XRF


## DRILLING ANALYSIS

- Viscosity Analysis
  - 600 r/ min
  - Gel Strength
  - Pour Point / Plastic
- Viscosity Ratio
  - Marsh Funnel Viscosity
- Filtrate Volume
- Residue with a diameter greater than 75  $\mu\text{m}$
- Bulk Density

## SODIUM BENTONITE CAT LITTER SPECIFICATIONS

Particle Size (mm)	0,50 - 4,0 mm
Density (g/cm <sup>3</sup> )	0,98 ± 0,3
pH	10,5 ± 0,5
Moisture Content (%)	8 ± 1
Clump Mass (g/20ml)	60 ± 5
Fluid Absorption Capacity (%)	>300
Dust-Freeness (%)	99,8
Odour Retention	High
Available Content / Scent options	Scented - Unscented - Active Carbon
Package Sizes	4 to 20 Kg or 4 to 20 L Unscented Big Bag sizes: 500/1.000/1.200 Kg
Packaging Types	Flat Bottom LDPE, Quadro pack LDPE, Kraft, Box, Recyclable Flat Bottom

### PARTICLE SIZE



**FINE:** 0,50 -1,50 mm



**MEDIUM:** 0,50-2,50 mm





**THICK:** 1,50-4,00 mm



# SODIUM BENTONITE CAT LITTER ANALYSIS

DATE:11/04/2023

**CAT LITTER REPORT OF ANALYSIS**

**NAME OF CAT LITTER PRODUCT:**  
Toi Moi Cat Litter

**COMPOSITION OF CAT LITTER PRODUCT:**  
Gray Sodium Bentonite

**APPEARANCE OF CAT LITTER PRODUCT:**  
0.6-2.5mm Gray Granules

CAT LITTER


**CHARACTERISTIC FEATURES**

Chemical-physical Properties	Unit	Specification	Method
Total Free Moisture	%	8.00±0.00	TS EN ISO 15500
Density	g/cm <sup>3</sup>	0.99±0.03	TS 15825
Water Absorption	%	Min.300	TS 12131
pH		10.50±0.5	TS 10252
Clump Quality			TSE K 77
Clump Resistance	cm	100	
Efficiency (DBML Synthetic Cat Urine)	g	60.0±0.5	
Odour Absorption		Perfect	
Content and Fragrance Types		Natura (unscented), Activated carbon (unscented) and Fragrances, Lavender, Marseille Soap and Baby Powder etc.	
Packing Dimension		Bigbag (1 ton), Range of 4-20kg, Range of 4-20 L	

Begüm Berna YERLKAYA  
Chemist (M.Sc.)

Ceylan Mineral Madencilik San. Ve Tic. A.Ş.  
Adana Kızılirmak Mah. Cumhuriyet Bulvarı No:942  
YDA Çarşısı Kat:3 D:232-233  
Ceylan Mineral Ofisi  
Phone: 0850 202 11 28  
Fax: +90 312 301 26 90  
E-Mail: info@ceylanmineral.com  
Web: www.ceylanmineral.com




www.ceylanmineral.com



Yayınlandığı Tarih /  
Date: 17/11/2022

Denetim Sorumlusu /  
Person in Charge of Test: *[Signature]*

Laboratuvar Sorumlusu /  
Person in Charge of Laboratory: *[Signature]*


L.C.S.B. Akademi Kalite Sistemleri İSRA. Ltd. Şti. No: 41 Yenikent Mah. / İZMİR

144 (40 32) 395 77 98 Fax: (40 32) 395 77 96 www.izmiriso.com info@izmiriso.com

İSIR 02/01.12.2020/10

Sayfa: 2 / 3

AB-0742-T  
A-22/85804  
11-22




Lab. Numarası /Report No: A-22/85804

Lab. Çıkarılma Tarihi /  
Date of Issue: 15/11/2022 - 17/11/2022

Paket Adı /  
Pack Name: KXF - WRO1

Fabrikasyon /  
Appliances: KRTM




**Analiz Sonuçları / Results of Analysis**

Parametreler / Parameters	Analiz Sonuçları / Result of analysis	Birim / Unit	Deney Metodu / Analysis Method
-LOI	11.05 %	%	SCT 15 (REV 00)
-SO3	1.23 %	%	TS EN 15309
-K2O3	17.74 %	%	TS EN 15309
-CaO	2.11 %	%	TS EN 15309
MgO	4.87 %	%	TS EN 15309
-Fe2O3	2.41 %	%	TS EN 15309
-Na2O	2.21 %	%	TS EN 15309
-SiO2	55.59 %	%	TS EN 15309
-SiO	0.067 %	%	TS EN 15309
-H2O	40.05 %	%	TS EN 15309
-CO2	<0.010 %	%	TS EN 15309
-K2O	0.63 %	%	TS EN 15309
-MnO	0.063 %	%	TS EN 15309
-TiO2	0.10 %	%	TS EN 15309
-ZnO	0.32 %	%	TS EN 15309

Ceylan Mineral Madencilik San. Ve Tic. A.Ş.  
Adana Kızılirmak Mah. Cumhuriyet Bulvarı No:942  
YDA Çarşısı Kat:3 D:232-233  
Ceylan Mineral Ofisi  
Phone: 0850 202 11 28  
Fax: +90 312 301 26 90  
E-Mail: info@ceylanmineral.com  
Web: www.ceylanmineral.com




www.ceylanmineral.com



Yayınlandığı Tarih /  
Date: 17/11/2022

Denetim Sorumlusu /  
Person in Charge of Test: *[Signature]*

Laboratuvar Sorumlusu /  
Person in Charge of Laboratory: *[Signature]*


L.C.S.B. Akademi Kalite Sistemleri İSRA. Ltd. Şti. No: 41 Yenikent Mah. / İZMİR

144 (40 32) 395 77 98 Fax: (40 32) 395 77 96 www.izmiriso.com info@izmiriso.com

İSIR 02/01.12.2020/10

Sayfa: 2 / 3

AB-0742-T  
A-22/85804  
11-22




Lab. Numarası /Report No: A-22/85804

Lab. Çıkarılma Tarihi /  
Date of Issue: 15/11/2022 - 17/11/2022

Paket Adı /  
Pack Name: KXF - WRO1

Fabrikasyon /  
Appliances: KRTM



**Analiz Sonuçları / Results of Analysis**

**XRD Analiz Sonucu / XRD Analysis Result**


**Quantitative analysis results**

Phase name	Content	Phase ref. list	Unit cell number
SiO2	55.59	ICDD (PDF# 01-073-0712)	06-000-0494
Pyrophyllite	0.63	ICDD (PDF# 01-073-0712)	06-000-0494
Quartz	3.10	ICDD (PDF# 01-073-0712)	06-000-0494
Montmorillonite	4.83	ICDD (PDF# 01-073-0712)	06-000-0494
CaO	2.11	ICDD (PDF# 01-073-0712)	06-000-0494

**Weight ratio**

Phase name	Content (%)
SiO2	55.59
Pyrophyllite	0.63
Quartz	3.10
Montmorillonite	4.83
CaO	2.11


**Measurement profile**



Bakış ve analiz için örnekler, kimyasal analiz için uygun şekilde hazırlanmış olmalıdır. XRD analizleri, örneklerin doğru şekilde hazırlanmış olması için önemlidir.

Ceylan Mineral Madencilik San. Ve Tic. A.Ş.  
Adana Kızılirmak Mah. Cumhuriyet Bulvarı No:942  
YDA Çarşısı Kat:3 D:232-233  
Ceylan Mineral Ofisi  
Phone: 0850 202 11 28  
Fax: +90 312 301 26 90  
E-Mail: info@ceylanmineral.com  
Web: www.ceylanmineral.com




www.ceylanmineral.com



Yayınlandığı Tarih /  
Date: 17/11/2022

Denetim Sorumlusu /  
Person in Charge of Test: *[Signature]*

Laboratuvar Sorumlusu /  
Person in Charge of Laboratory: *[Signature]*

L.C.S.B. Akademi Kalite Sistemleri İSRA. Ltd. Şti. No: 41 Yenikent Mah. / İZMİR

144 (40 32) 395 77 98 Fax: (40 32) 395 77 96 www.izmiriso.com info@izmiriso.com

İSIR 02/01.12.2020/10

Sayfa: 3 / 3

# CERTIFICATES

**CERTIFICATE**

**YÜKSEL CEYLAN MOTORLU ARAÇLAR KEDİ KUMU  
ÜRETİM TESİSİ**  
YAKIN KENT OSB 2. CADDE NO:16 ÇANKIRI TÜRKİYE

KAPSAM: KEDİ KUMU, DÖKÜM BENTONİTİ, SONDAJ BENTONİTİ, KOZMETİK BENTONİTİ, DESKANT (İNEM ALICI), İLAÇ BENTONİTİ, SERAMİK BENTONİTİ, MADEN SEKTÖRÜ VB

SCOPE: CAT LITTER, CASTING BENTONITE, DRILLING BENTONITE, COSMETIC BENTONITE, DESKANT (HUMIDISTIC), PHARMACEUTICAL BENTONITE, CERAMIC BENTONITE, MINING SEC.TOR. ETC.

**ISO 9001:2015  
KALİTE YÖNETİM SİSTEMİ  
(QUALITY MANAGEMENT SYSTEM)**

Kuruluşunu ve uyguladığını belgeler ve EKOL tarafından yapılan denetim bu yönetim sisteminin aşağıdaki standartın gerekliliklerini karşıladığını teyit eder.

It certifies that it is established and implemented, and the audit performed by EKOL confirms that this management system meets the requirements of the following standard.

Sertifika Numarası / Certificate Number : 919192416  
Sertifika Kodu / Certificate Code : YÜKSEL  
Sertifika Yayın Tarihi / Certificate Issue Date : 26.04.2023  
Sertifika Geçerlilik Tarihi / Certificate Validity Date : 26.04.2024  
Sertifika Periyodu / Certificate Period : 1 Yıl / 1 Year


Statü Bilgilendirme Sistemi  
Mevkii Mah. Mevlan Mevlevi Sokak Beyli Çiz Plaza No:1 Kat:15 D:55  
Etiler / Beşiktaş / İstanbul Tel: +90 212 000 12 07 www.ekolbelgeledirme.com  
Başlangıç tarihi: 01.01.2023

www.ekolbelgeledirme.com

**CERTIFICATE**

**YÜKSEL CEYLAN MOTORLU ARAÇLAR KEDİ KUMU  
ÜRETİM TESİSİ**  
YAKIN KENT OSB 2. CADDE NO:16 ÇANKIRI TÜRKİYE

KAPSAM: KEDİ KUMU, DÖKÜM BENTONİTİ, SONDAJ BENTONİTİ, KOZMETİK BENTONİTİ, DESKANT (İNEM ALICI), İLAÇ BENTONİTİ, SERAMİK BENTONİTİ, MADEN SEKTÖRÜ VB

SCOPE: CAT LITTER, CASTING BENTONITE, DRILLING BENTONITE, COSMETIC BENTONITE, DESKANT (HUMIDISTIC), PHARMACEUTICAL BENTONITE, CERAMIC BENTONITE, MINING SEC.TOR. ETC.

**14001:2015  
ÇEVRE YÖNETİM SİSTEMİ  
(ENVIRONMENTAL MANAGEMENT SYSTEM)**

Kuruluşunu ve uyguladığını belgeler ve EKOL tarafından gerçekleştirilen denetim bu yönetim sisteminin yukarıdaki belgelerin standartları karşılıyor olduğunu teyit eder.

It certifies that it is established and implemented, and the audit performed by EKOL confirms that this management system meets the requirements of the following standard.

Sertifika Numarası / Certificate Number : 919192415  
Sertifika Kodu / Certificate Code : YÜKSEL  
Sertifika Yayın Tarihi / Certificate Issue Date : 26.04.2023  
Sertifika Geçerlilik Tarihi / Certificate Validity Date : 26.04.2024  
Sertifika Periyodu / Certificate Period : 1 Yıl / 1 Year


Statü Bilgilendirme Sistemi  
Mevkii Mah. Mevlan Mevlevi Sokak Beyli Çiz Plaza No:1 Kat:15 D:55  
Etiler / Beşiktaş / İstanbul Tel: +90 212 000 12 07 www.ekolbelgeledirme.com  
Başlangıç tarihi: 01.01.2023

www.ekolbelgeledirme.com

**CERTIFICATE**

**YÜKSEL CEYLAN MOTORLU ARAÇLAR KEDİ KUMU  
ÜRETİM TESİSİ**  
YAKIN KENT OSB 2. CADDE NO:16 ÇANKIRI TÜRKİYE

KAPSAM: KEDİ KUMU, DÖKÜM BENTONİTİ, SONDAJ BENTONİTİ, KOZMETİK BENTONİTİ, DESKANT (İNEM ALICI), İLAÇ BENTONİTİ, SERAMİK BENTONİTİ, MADEN SEKTÖRÜ VB

SCOPE: CAT LITTER, CASTING BENTONITE, DRILLING BENTONITE, COSMETIC BENTONITE, DESKANT (HUMIDISTIC), PHARMACEUTICAL BENTONITE, CERAMIC BENTONITE, MINING SEC.TOR. ETC.

**ISO 22716:2013 GMP  
İYİ ÜRETİM UYGULAMALARI  
(GOOD MANUFACTURING PRACTICES)**

Kuruluşunu ve uyguladığını belgeler ve EKOL tarafından yapılan denetim bu yönetim sisteminin aşağıdaki standartın gerekliliklerini karşıladığını teyit eder.

It certifies that it is established and implemented, and the audit performed by EKOL confirms that this management system meets the requirements of the following standard.

Sertifika Numarası / Certificate Number : 919192417  
Sertifika Kodu / Certificate Code : YÜKSEL  
Sertifika Yayın Tarihi / Certificate Issue Date : 26.04.2023  
Sertifika Geçerlilik Tarihi / Certificate Validity Date : 26.04.2024  
Sertifika Periyodu / Certificate Period : 1 Yıl / 1 Year


Statü Bilgilendirme Sistemi  
Mevkii Mah. Mevlan Mevlevi Sokak Beyli Çiz Plaza No:1 Kat:15 D:55  
Etiler / Beşiktaş / İstanbul Tel: +90 212 000 12 07 www.ekolbelgeledirme.com  
Başlangıç tarihi: 01.01.2023

www.ekolbelgeledirme.com

**CERTIFICATE**

**YÜKSEL CEYLAN MOTORLU ARAÇLAR KEDİ KUMU  
ÜRETİM TESİSİ**  
YAKIN KENT OSB 2. CADDE NO:16 ÇANKIRI TÜRKİYE

KAPSAM: KEDİ KUMU, DÖKÜM BENTONİTİ, SONDAJ BENTONİTİ, KOZMETİK BENTONİTİ, DESKANT (İNEM ALICI), İLAÇ BENTONİTİ, SERAMİK BENTONİTİ, MADEN SEKTÖRÜ VB

SCOPE: CAT LITTER, CASTING BENTONITE, DRILLING BENTONITE, COSMETIC BENTONITE, DESKANT (HUMIDISTIC), PHARMACEUTICAL BENTONITE, CERAMIC BENTONITE, MINING SEC.TOR. ETC.

**ISO 45001:2018  
İS SAĞLIĞI VE GÜVENLİĞİ YÖNETİM SİSTEMİ  
(OCCUPATIONAL HEALTH AND SAFETY MANAGEMENT SYSTEM)**

Kuruluşunu ve uyguladığını belgeler ve EKOL tarafından yapılan denetim bu yönetim sisteminin aşağıdaki standartın gerekliliklerini karşıladığını teyit eder.

It certifies that it is established and implemented, and the audit performed by EKOL confirms that this management system meets the requirements of the following standard.

Sertifika Numarası / Certificate Number : 919192416  
Sertifika Kodu / Certificate Code : YÜKSEL  
Sertifika Yayın Tarihi / Certificate Issue Date : 26.04.2023  
Sertifika Geçerlilik Tarihi / Certificate Validity Date : 26.04.2024  
Sertifika Periyodu / Certificate Period : 1 Yıl / 1 Year


Statü Bilgilendirme Sistemi  
Mevkii Mah. Mevlan Mevlevi Sokak Beyli Çiz Plaza No:1 Kat:15 D:55  
Etiler / Beşiktaş / İstanbul Tel: +90 212 000 12 07 www.ekolbelgeledirme.com  
Başlangıç tarihi: 01.01.2023

www.ekolbelgeledirme.com

**CERTIFICATE**

**YÜKSEL CEYLAN MOTORLU ARAÇLAR KEDİ KUMU  
ÜRETİM TESİSİ**  
YAKIN KENT OSB 2. CADDE NO:16 ÇANKIRI TÜRKİYE

KAPSAM: KEDİ KUMU, DÖKÜM BENTONİTİ, SONDAJ BENTONİTİ, KOZMETİK BENTONİTİ, DESKANT (İNEM ALICI), İLAÇ BENTONİTİ, SERAMİK BENTONİTİ, MADEN SEKTÖRÜ VB

SCOPE: CAT LITTER, CASTING BENTONITE, DRILLING BENTONITE, COSMETIC BENTONITE, DESKANT (HUMIDISTIC), PHARMACEUTICAL BENTONITE, CERAMIC BENTONITE, MINING SECTOR ETC.

**TS ISO 10002:2014  
MÜŞTERİ MEMNUNİYETİ YÖNETİM SİSTEMİ  
(CUSTOMER SATISFACTION MANAGEMENT SYSTEM)**

Kuruluşunu ve uyguladığını belgeler ve EKOL tarafından yapılan denetim bu yönetim sisteminin aşağıdaki standartın gerekliliklerini karşıladığını teyit eder.

It certifies that it is established and implemented, and the audit performed by EKOL confirms that this management system meets the requirements of the following standard.

Sertifika Numarası / Certificate Number : 919192414  
Sertifika Kodu / Certificate Code : YÜKSEL  
Sertifika Yayın Tarihi / Certificate Issue Date : 26.04.2023  
Sertifika Geçerlilik Tarihi / Certificate Validity Date : 26.04.2024  
Sertifika Periyodu / Certificate Period : 1 Yıl / 1 Year


Statü Bilgilendirme Sistemi  
Mevkii Mah. Mevlan Mevlevi Sokak Beyli Çiz Plaza No:1 Kat:15 D:55  
Etiler / Beşiktaş / İstanbul Tel: +90 212 000 12 07 www.ekolbelgeledirme.com  
Başlangıç tarihi: 01.01.2023

www.ekolbelgeledirme.com

## Contact

+90 (850) 202 11 28  
info@ceylanmineral.com  
ceylanmineral.com  
toimoistore.com

## Istanbul Office

Kavacak Mah. Muhtar Sok.  
Tecom Plaza No:5 K:2  
Kavacak/Beykoz/İstanbul

## Head Office

Kızılırmak Mah. Dumlupınar Bulv.  
No:9A2 YDA Center Kat:7  
D:230-231  
Çankaya/Ankara/Türkiye

## Plant

Yakınkent OSB  
2. Cad. No : 16  
Çankırı/Türkiye